Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	499	(712/225).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/06 14:14
L2	7	(barrier near4 (instruction or operation)) with (speculative$2 near2 load)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/06 14:17
L3	11	(barrier near4 (instruction or operation)) same (speculative$2 near2 load)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/06 14:17
L4	82	(barrier near4 (instruction or operation)) with (load or write)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/06 14:19
L5	927	(711/147).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/06 14:20
L6	603	(711/151).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/06 14:20
L7	310	(710/315).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/06 14:23
L8	297	(710/313).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/06 14:20
L9	59	((serialization or synchronization) near4 (instruction or operation)) and (speculative$2 near2 load)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/06 14:23
L10	19	(barrier near4 (instruction or operation)) and (speculative$2 near2 load)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/06 14:42
S1	2401	barrier near4 (instruction or operation)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/02 12:15
S2	58	(barrier near4 (instruction or operation)) with synchroniz$5	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/02 12:27
S3	59	(barrier near4 (instruction or operation)) with (load or write)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/02 12:43

S4	0	(barrier near4 (instruction or operation)) with (speculative$2 near2 load)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/11/06 13:35
S5	1	((serialization or synchronization) near4 (instruction or operation)) with (speculative$2 near2 load)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/02 12:49
S6	2	(speculat$5 near4 load) with synchroniz$5	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/02 15:18
S7	473	speculat$5 near4 load	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/02 15:19
S8	237	(speculat$5 near4 load) with (load near2 unit)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/02 15:20
S9	0	(speculat$5 near4 load) with (load near2 unit) with speed	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/02 15:20
S10	0	(speculat$5 near4 load) with (load near2 unit) with time	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/02 15:20
S11	0	(speculat$5 near4 load) with (load near2 unit) with efficien$2	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/02 15:20
S12	1	(speculat$5 near4 load) with (load near2 unit) with processor	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/02 15:21
S13	1	(speculat$5 near4 load) with (load near2 unit) with (execution adj1 unit)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/05/02 15:21
S14	6	(("6079012") or ("6321328") or ("5611070") or ("5802374") or ("6038646") or ("6286095")).PN.	USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/05/05 08:18
S15	15	(barrier near4 (instruction or operation)) and (speculative$2 near2 load)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/11/06 13:30
S16	10	("4317168" | "4970643" | "5295253" | "5454093" | "5625793" | "5630157" | "5765208" | "5848283" | "6029204" | "6065086").PN.	USPAT	OR	OFF	2003/11/06 12:11
S17	42	((serialization or synchronization) near4 (instruction or operation)) and (speculative$2 near2 load)	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/11/06 13:30
S18	18	(barrier near4 (instruction or operation)) and (speculative$2 near2 load)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/11/06 13:30

S19	49	((serialization or synchronization) near4 (instruction or operation)) and (speculative$2 near2 load)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/11/06 13:32
S20	8	(barrier near4 (instruction or operation)) same (speculative$2 near2 load)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/11/06 13:35
S21	5	("5615350" | "6052771" | "6079012" | "6286095" | "6415380").PN.	USPAT	OR	OFF	2003/11/06 13:39
S22	305	(712/225).CCLS.	USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/04/07 16:26
S23	385	(712/225).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/04/07 16:26